

Safety Data Sheet

Issue Date: 14-Apr-2020 Revision Date: 15-Apr-2020 Version 1

1. IDENTIFICATION

Product identifier

Product Name MOUNTAIN PEAK HAND SANITIZER

Other means of identification

SDS # MPG-001

UN/ID No UN1170

Recommended use of the chemical and restrictions on use

Recommended Use Hand Sanitizer.

Details of the supplier of the safety data sheet

Supplier Address

Mountain Peak Global, LLC 10820 Craighead Dr. Houston, TX 77025 Sharon Amos

Ph: 832-265-5666

Emergency telephone number

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear Physical state Liquid Odor Alcohol-like

Classification

The classification and labeling information in this Safety Data Sheet should be viewed as provisional, as physical test data has not been performed. This SDS was created using the criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and is compliant with the Globally Harmonized System of Labeling and Classification of Chemicals (GHS).

Serious eye damage/eye irritation	Category 2
Flammable liquids	Category 2

Signal Word Danger

Hazard statements

Causes serious eye irritation Highly flammable liquid and vapor



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use only non-sparking tools Take precautionary measures against static discharge Use explosion-proof equipment

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Ethanol	64-17-5	80-90
Water	7732-18-5	Balance
Glycerol	56-81-5	1-2
Hydrogen Peroxide	7722-84-1	<1.0

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

Description of first aid measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact

minutes. If skin irritation develops or persists, seek medical attention.

Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician/poison center

if individual's condition declines or if symptoms persist.

Ingestion Rinse mouth. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything

by mouth to an unconscious person. Call a poison center or doctor/physician if you feel

None under normal use conditions. Wash off immediately with plenty of water for at least 15

Revision Date: 15-Apr-2020

unwell.

Most important symptoms and effects, both acute and delayed

Symptoms Causes serious eye irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Provide general supportive measures and treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray or fog. Alcohol resistant foam. Dry chemical or CO2.

Unsuitable Extinguishing Media Water jet.

Specific Hazards Arising from the Chemical

Highly flammable liquid and vapor. Container may explode in heat or fire.

Hazardous combustion products Carbon oxides.

Explosion Data

Sensitivity to Static Discharge Flammable mixtures of this product are readily ignited even by static discharge.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet. Remove all

sources of ignition.

For Emergency Responders Evacuate unprotected personnel from area.

Environmental precautions

Environmental precautions Prevent runoff from entering drains, sewers or streams. See Section 12 for additional

Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Soak up and contain spill with an inert (i.e. vermiculite, dry sand or earth) absorbent

material.

Methods for Clean-Up Reclaim where possible. Use non-sparking hand tools and explosion-proof electrical

equipment. Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

flames/hot surfaces. — No smoking. Wash face, hands and any exposed skin thoroughly after handling. Ground/bond container and receiving equipment. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. Avoid contact with skin, eyes or clothing. Do not breathe dust/fume/gas/mist/vapors/spray.

Revision Date: 15-Apr-2020

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from

heat, sparks, flame.

Incompatible Materials Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	•
Glycerol	-	TWA: 15 mg/m ³ mist, total	-
56-81-5		particulate	
		TWA: 5 mg/m ³ mist, respirable	
		fraction	
		(vacated) TWA: 10 mg/m ³ mist,	
		total particulate	
		(vacated) TWA: 5 mg/m ³ mist,	
		respirable fraction	
Hydrogen Peroxide	TWA: 1 ppm	TWA: 1 ppm	IDLH: 75 ppm
7722-84-1		TWA: 1.4 mg/m ³	TWA: 1 ppm
		(vacated) TWA: 1 ppm	TWA: 1.4 mg/m ³
		(vacated) TWA: 1.4 mg/m ³	9

Appropriate engineering controls

Engineering Controls Make emergency eyewash stations, safety/quick-drench showers, and washing facilities

available in work area. Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/Face Protection None required under normal use. Wear approved safety goggles. Refer to 29 CFR

1910.133 for eye and face protection regulations.

Skin and Body ProtectionNone required under normal use. Wear protective gloves and protective clothing. Reference

Wiley's "Quick Selection Guide to Chemical Protective Clothing". Refer to 29 CFR 1910.138

for appropriate skin and body protection.

Respiratory Protection None under normal use conditions. If necessary, wear a MSHA/NIOSH-approved

respirator. Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid **Appearance** Clear

Odor Alcohol-like **Odor Threshold** Color Clear Not determined

Values Property Remarks • Method

рH Not determined Melting point / freezing point Not determined Boiling point / boiling range Not determined Flash point Not determined **Evaporation Rate** Not determined Flammability (Solid, Gas) Not determined

Flammability Limit in Air

Upper flammability or explosive Not determined

limits

Lower flammability or explosive Not determined

limits

Vapor Pressure Not determined Vapor Density Not determined **Relative Density** Not determined Water Solubility Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition temperature** Not determined **Decomposition temperature** Not determined Kinematic viscosity Not determined **Dvnamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Heat, flames and sparks. Avoid direct sunlight.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

Thermal decomposition may produce oxides of carbon.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye irritation.

Skin Contact Prolonged contact may cause redness and irritation.

Inhalation May cause irritation if inhaled.

Ingestion May cause discomfort if swallowed.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethanol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Glycerol 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 570 mg/m³ (Rat)1 h
Hydrogen Peroxide 7722-84-1	= 1518 mg/kg (Rat)	= 9200 mg/kg (Rabbit)	= 2000 mg/m ³ (Rat) 4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

an alcoholic beverage.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethanol 64-17-5	A3	Group 1	Known	X
Hydrogen Peroxide 7722-84-1	A3	Group 3		

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen
IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans Group 3 IARC components are "not classifiable as human carcinogens"

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document ...

Oral LD50 8,736.28 mg/kg

ATEmix (inhalation-dust/mist) 9.25 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Ethanol		13400 - 15100: 96 h Pimephales	10800: 24 h Daphnia magna mg/L
64-17-5		promelas mg/L LC50 flow-through	EC50 2: 48 h Daphnia magna mg/L
		12.0 - 16.0: 96 h Oncorhynchus	EC50 Static 9268 - 14221: 48 h
		mykiss mL/L LC50 static 100: 96 h	Daphnia magna mg/L LC50
		Pimephales promelas mg/L LC50	
		static	

Glycerol		51 - 57: 96 h Oncorhynchus mykiss	500: 24 h Daphnia magna mg/L
56-81-5		mL/L LC50 static	EC50
Hydrogen Peroxide	2.5: 72 h Chlorella vulgaris mg/L	16.4: 96 h Pimephales promelas	7.7: 24 h Daphnia magna mg/L
7722-84-1	EC50	mg/L LC50 10.0 - 32.0: 96 h	EC50 18 - 32: 48 h Daphnia magna
		Oncorhynchus mykiss mg/L LC50	mg/L EC50 Static
		static 18 - 56: 96 h Lepomis	-
		macrochirus mg/L LC50 static	ļ

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
Ethanol 64-17-5	-0.32
Glycerol 56-81-5	-1.76

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Ethanol	Toxic
64-17-5	Ignitable
Hydrogen Peroxide	Toxic
7722-84-1	Corrosive
	Ignitable
	Reactive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No UN1170

Proper Shipping Name Ethanol solution

Hazard class 3 **Packing Group** Ш

IATA

UN number UN1170

Proper Shipping Name Ethanol solution

Transport hazard class(es) 3 **Packing Group** Ш

IMDG

UN number UN1170

Proper Shipping Name Ethanol solution

Transport hazard class(es) 3 **Packing Group** Ш

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Ethanol	Х	ACTIVE	X	Χ	X	X	X	X	X
Water	Х	ACTIVE	X	Χ	X	X	X	X	X
Glycerol	Х	ACTIVE	Х	Χ	Χ	Х	Χ	Х	X
Hydrogen Peroxide	Х	ACTIVE	X	X	X	X	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrogen Peroxide		1000 lb	
7722-84-1			

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

<u>California Proposition 65</u>
This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Ethanol - 64-17-5	Carcinogen
	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethanol 64-17-5	X	X	X
Water 7732-18-5			X
Glycerol 56-81-5	X	X	X
Hydrogen Peroxide 7722-84-1	X	X	X

16. OTHER INFORMATION

NFPA **Health Hazards** Flammability Instability **Special Hazards** Not determined Not determined Not determined Not determined **Personal Protection Health Hazards Flammability** Physical hazards **HMIS** Not determined Not determined Not determined Not determined

Issue Date: 14-Apr-2020 **Revision Date:** 15-Apr-2020 **Revision Note:** New product

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet